

```

public static abstract class AbstractCreateOrMergePatchCar extends
    AbstractCarCommand implements CreateOrMergePatchCar {
    private String description;
    private Boolean active;
    // 省略这些 fields 的 getter/setter 方法

    public WheelCommand.CreateWheel newCreateWheel() {
        AbstractWheelCommand.SimpleCreateWheel c = new AbstractWheelCommand.
            SimpleCreateWheel();
        c.setCarId(this.getId());
        return c;
    }

    public WheelCommand.MergePatchWheel newMergePatchWheel() {
        AbstractWheelCommand.SimpleMergePatchWheel c = new
            AbstractWheelCommand.SimpleMergePatchWheel();
        c.setCarId(this.getId());
        return c;
    }

    public WheelCommand.RemoveWheel newRemoveWheel() {
        AbstractWheelCommand.SimpleRemoveWheel c = new AbstractWheelCommand.
            SimpleRemoveWheel();
        c.setCarId(this.getId());
        return c;
    }

    public TireCommand.CreateTire newCreateTire() {
        // ...
    }

    public TireCommand.MergePatchTire newMergePatchTire() {
        // ...
    }

    public TireCommand.RemoveTire newRemoveTire() {
        // ...
    }
}

public static abstract class AbstractCreateCar extends
    AbstractCreateOrMergePatchCar implements CreateCar {
    @Override
    public String getCommandType() {
        return COMMAND_TYPE_CREATE;
    }
}

private CreateWheelCommandCollection createWheelCommands = new
    SimpleCreateWheelCommandCollection();

public CreateWheelCommandCollection getCreateWheelCommands() {

```